


DIMENSIONAL VIEWS

5-SEATER












7-SEATER









Note: Roof rails (silver) and rear spoiler are optional.

All measurements in millimeters.



www.facebook.com/MitsubishiMotors.en



www.instagram.com/mitsubishimotorsofficial



www.youtube.com/user/MitsubishiMotorsAd





The paper used in this catalogue has been certified by the FSCTM (Forest Stewardship CouncilTM) as having been produced through a 'chain of custody' system of forestry management, tracking and production oversight that ensures responsible consideration for the earth's ecosystem. Mitsubishi Motors has adopted the CO₂ emissions and promote more efficient use of natural resources. In this way, we hope to contribute to greater protection of the environment.

OUTLANDER







DARE TO BATTLE THE ROUGH

From urban streets to the far reaches of off-road adventures, conditions can be impossible to predict. Be ready to engage whatever comes. In any weather, electronically controlled 4WD enables you to take full advantage of the OUTLANDER's substantial engine power. And advanced safety technology forms comprehensive frontline, side and backline defense that makes rough conditions a pleasure to conquer.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.



DYNAMIC REFINED STYLING

Solid, powerful looks boldly proclaim incomparable refinement, robustness and road performance. From assertive face to attractive tail, the OUTLANDER expresses the promise of unparalleled SUV driving pleasure.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

REFRESHING SILENCE AND QUALITY


Driving the OUTLANDER is a pleasurable experience heightened by quick, responsive handling and high-quality craftsmanship. The ride is also extremely quiet thanks to enhanced noise reduction measures that lower engine, road and wind noise. From generous cabin space and comfortable seating to quality materials and refined amenities, every detail contributes to your traveling joy.





SEATING ARRANGEMENT

It's easy to flexibly arrange the second and third-row seats to carry almost any combination of passengers and luggage. You can even fold down all rear seatbacks to create an extremely large and flat luggage area.



A second-row seat sliding function provides easy access to the third-row seats.



COMFORTABLE THIRD ROW SEATS

Padding and springs in the third-row seat cushions contribute to riding comfort. You can recline the seatbacks to any of four settings.






SPIRITED PERFORMANCE


The OUTLANDER delivers the high performance you demand of a rugged SUV, including powerful acceleration and responsive roadhandling. Wherever you travel, you'll enjoy next-generation SUV advantages while also minimizing environmental impact through high fuel efficiency and low CO₂ emissions.

Note: Equipment may vary by market. Please consult your local Mitsubishi Motors dealer/distributor for details.

SOLID RESPONSE AND PROTECTION







ENGINES

Power the OUTLANDER with your choice of two clean and efficient engines - the 2.4-liter MIVEC* or 3.0-liter V6 MIVEC. The 2.4-liter engine is extremely responsive and fuel efficient, while the high-displacement V6 engine supplies supremely powerful acceleration even when carrying heavy loads or traveling up mountainsides.

* MIVEC (Mitsubishi Innovative Valve timing Electronic Control system)



INVECS-III CVT

The engine is mated with an advanced CVT that automatically adjusts in response to changing road and vehicle conditions to deliver smooth, swift acceleration whenever you demand it, as well as outstanding fuel efficiency beyond what conventional automatic transmissions provide. Fully pressing the pedal now generates powerful response with the automatic transmission's step-up shift like exhilaration and reduced engine noise. For manual-like driving pleasure, you can also take advantage of the 6-speed Sports Mode and paddle shifters.



ELECTRONICALLY CONTROLLED 4WD

Electronically controlled 4WD offers incredible traction and stability even in challenging terrain by optimally combining with Active Stability Control [ASC]. The Drive Mode Selector lets you easily select the most appropriate drive mode when desired: 4WD ECO mode for maximum economy, 4WD AUTO mode for normal driving conditions, or 4WD LOCK mode for rough terrain.




PADDLE SHIFT

Sporty paddle shifters let you smoothly and electronically shift gears without removing your hand from the steering wheel.




REFINED SHOCK ABSORBERS

New larger diameter front struts and rear shock absorbers help ensure ideal damping at all speeds.



STRUCTURAL ADHESIVES

Structural adhesive bonding on the door and tailgate openings increases coupling rigidity between body panels for improved steering stability.



RISE BODY

Collision safety performance is significantly enhanced by Mitsubishi Motors' RISE (Reinforced Impact Safety Evolution) body, which efficiently absorbs energy and maintains high cabin integrity in the event of a collision.




In the event of a collision, seven SRS airbags help protect you and your passengers by absorbing the force of impact. The system includes front airbags, side airbags, curtain airbags and a driver's knee airbag.



AUTO DIMMING REAR VIEW MIRROR

This mirror automatically reduces glare from the headlights of cars behind you to maintain a clear rear view and support safer driving.



ACTIVE STABILITY CONTROL [ASC]

If wheels lose their grip on slippery surfaces or while turning, ASC automatically adjusts engine output and applies braking force at the appropriate wheels to help maintain control and prevent skidding.



Hill Start Assist



HILL START ASSIST [HSA]

Without

Hill Start Assist

When starting on a steep slope, HSA helps prevent you from rolling backwards while you release the brake by maintaining the braking force for up to two seconds until the accelerator is applied.

Note: 7 SRS Airbags: Airbags are part of a Supplemental Restraint System [SRS]. To decrease the risk of injury from a deploying airbag, always fasten your seat belt, sit upright in the middle of the seat and do not lean against the door. Always place children 12 and under in the rear seat if possible and use appropriate child restraints. If using a belt-fixed rear-facing infant restraint in the front seat, activate the SRS airbag cut-off switch. Please see the owner's manual and the instructions provided with your child restraint for additional information.

ASC: The control capabilities of ASC are supplemental only. Please drive safely and never rely solely on these functions while driving. Be sure to use the same specified type and size of tires on all 4 wheels. Do not install any aftermarket limited slip differential on your vehicle. Please see the owner's manual for additional information

HSA: Hill Start Assist [HSA] is not a substitute for safe driving. Never rely solely on this function while driving on steep roads. Your vehicle may move backwards if the brake pedal is heavily loaded, or if the road is very steep or slippery. This function is not designed to keep the vehicle stopped in place on uphill slopes for more than 2 seconds. Do not rely on this function to maintain a stopped position as an alternative to depressing the brake pedal. Please see the owner's manual for additional information.

REASSURING ALL AROUND SAFETY

Advanced safety technology supports safer, more confident driving – on the road and in parking lots, day and night. From intelligent sensors that track your surroundings and warn you of danger to active driving assistance, the OUTLANDER delivers all around high levels of safety.

FORWARD COLLISION MITIGATION SYSTEM [FCM]

Helps prevent a frontal collision or reduce damage if the collision becomes unavoidable. Responds to vehicles and pedestrians via camera and laser radar.



Danger of collision



Warning + braking assistance

High danger of collision



Warning + auto braking

Extremely high danger of collision



Warning + strong auto braking

ADAPTIVE CRUISE CONTROL SYSTEM [ACC]

Maintains a selected distance between your vehicle and the car ahead via radar for greater safety and peace of mind. It reduces driver stress especially during traffic jams on highways.



ACC indication on multi-information display

No vehicle in front



Your selected speed is maintained even if you remove your foot from the accelerator pedal.

Vehicle in front



Your selected distance between vehicles is maintained.

Vehicle in front (slowing/stopping)




When the vehicle in front slows or stops, ACC slows or stops your vehicle.


AUTOMATIC HIGH-BEAM

To increase safety, comfort and driving ease at night, the high beams automatically switch to low beams when vehicles are detected ahead and automatically switch back to high beams so you don't have to remove your hand from the steering wheel to switch the beams manually.

High-beam



Low-beam



Note:

FCM: The detection and control capabilities of Forward Collision Mitigation [FCM] are supplemental only and do not prevent collisions in every situation. Please drive safely and do not rely solely on this system while driving. FCM operates when a vehicle is in front of your vehicle. FCM is also designed to detect pedestrians, but may not detect them or be activated in some situations. Auto braking is activated for a car ahead when your vehicle is traveling at a speed of approx. Skm/h to 80km/h and for a pedestrian ahead at approx. Skm/h to 65km/h. Since FCM has no function to maintain braking, the brake is released approximately 2 seconds after stopping. To prevent the vehicle from rolling thereafter, the driver may have to hold the brake pedal down. In some cases, FCM may not function if the driver takes actions for accident avoidance through steering or acceleration operation. If you have any questions, please consult your local Mitsubishi Motors dealer/distributor

ACC: The detection and control capabilities of ACC are supplemental only. Please drive safely and do not rely solely on this system while driving. ACC may not be activated in some situations. This system may not correctly detect the actual situation depending on the type of vehicle in front and its conditions, the weather conditions, and the road conditions. Additionally, the system may be unable to decelerate sufficiently if the vehicle in front applies the brakes suddenly or another vehicle cuts into your path, so your vehicle approaches the front vehicle. If you have any questions, please consult your local Mitsubishi Motors dealer/distributor for details.

AHB: This system activates at a speed of approx. 40km/h or more and deactivates at lower speeds. Please see the owner's manual for additional information.

BLIND SPOT WARNING [BSW]

This safety feature uses radar sensors in the rear bumper to detect vehicles in your rear blind spots, on the right and left sides. An indicator appears in the door mirror when BSW is active and the turn signals are off. When a vehicle is detected while the turn signal is on, an indicator blinks in the corresponding door mirror and a buzzer sounds.





REAR CROSS TRAFFIC ALERT [RCTA]

An indicator appears in the combination meter display when RCTA is active. If radar sensors in the rear bumper detect an approaching vehicle nearby while reverse gear is engaged, a warning message appears in the multi-information display, a buzzer sounds and an indicator blinks in both door mirrors.



MULTI AROUND MONITOR

The views from cameras mounted on the front, rear and sides of the vehicle (including a bird's-eye view) can be displayed in various combinations to reveal what is in blind spots and help you park more safely.





Rear view + Bird's-eye view

ULTRASONIC MISACCELERATION MITIGATION SYSTEM [UMS]

To help prevent collisions while parking, a buzzer sounds and a warning displays if front or rear sensors detect a nearby obstacle. Engine output is also controlled if you suddenly accelerate by accident.

Engine output control activates:

- When driving at very low speeds (not in N or P position)
- When obstacle/vehicle is within a short distance
- When accelerator pedal is pushed hard or abruptly
- When driver is not turning to avoid obstacle/vehicle



ote:

BSW: The detection and control capabilities of Blind Spot Warning [BSW] are supplemental only and do not warn you of vehicles in blind spots in every situation. Please do not rely solely on this system while driving. Blind Spot Warning may not operate normally in some cases, depending on traffic, weather, road surface conditions and the presence of obstructions. Drivers are fully responsible for their own safe driving. The radar wave graphics are used for illustrative purposes only and do not represent the actual sensor application. Please see the owner's manual for additional information.

RCTA: Do not rely solely on Rear Cross Traffic Alert [RCTA], which may not detect all moving vehicles in certain conditions. Drivers are fully responsible for their own safe driving. The radar wave graphics are for illustrative purposes only and do not represent the actual sensor application. Please see the owner's manual for additional information.

UMS: The detection and control capabilities of Ultrasonic misacceleration Mitigation System [UMS] are supplemental only and do not prevent misacceleration in every situation. Please drive safely and do not rely solely on this system while driving. To prevent the engine output control provided by UMS from causing an impediment during normal driving in rough-road driving conditions, the system automatically de-activates and indicates UMS OFF in the meter cluster when the FCM function is OFF or the ASC function is OFF. No function completely stops the vehicle via the automatic braking. The vehicle may creep forward or backward even when engine output is regulated. The sensing system may not work for netlike and sharp-edged obstructions that do not sufficiently reflect ultrasonic sound. UMS does not include a function which keeps the vehicle stationary. The driver is responsible for stopping the vehicle by pressing the brake pedal as required by the driving conditions. The ultrasonic sensor wave graphics are for illustrative purposes only and do not represent the actual sensor application. Please see the owner's manual for additional information.

FEATURE HIGHLIGHTS

MITSUBISHI MULTI COMMUNICATION SYSTEM [MMCS]

The multifunctional navigation system clearly displays navigation and music functions on a big touch panel display with easy-to-use interface. Images from the rear-view camera can also be displayed to enhance driving safety.





EASY-TO-SELECT MENU



3D LANDMARK (GRAND MOSQUE)




3D CITY (PALM JUMEIRAH)



MOTORWAY MODE





- 3.5cm soft dome tweeter
- 16cm polypropylene cone speaker
- 16cm polypropylene coaxial 2-way
- 25cm subwoofer
- 3 710W 8-channel high-power amplifier

ROCKFORD FOSGATE® PREMIUM SOUND SYSTEM

Savor the stunning sound quality of a new audio system jointly developed with the Rockford Corporation. Nine speakers surround you with spectacular DTS Neural Surround™ sound.



USB PORT

The port is conveniently located near the instrument panel, allowing easy access from both front seats.



A quality CD/MP3 player enables easy connection with a digital audio player for listening pleasure.



BLUETOOTH® HANDS-FREE KIT

Keep in touch while keeping safely in control with the hands-free kit. Link your Bluetooth -compatible mobile phone, and the voiceactivated dialer lets you make calls while holding the wheel.



ELECTRIC PARKING BRAKE WITH

The parking brake on the floor console is easy to operate via stylish switch. Simply pull the switch up to apply the parking brake or push the switch down to release it. While stopping at a stoplight, Brake Auto Hold keeps the vehicle stationary even if you release your foot from the brake pedal. Pressing the



in the rear console to keep rear passengers comfortable.



FEATURE HIGHLIGHTS

ANTI-TRAPPING ELECTRIC SUNROOF

A sunroof with tilt, sliding and antitrapping features lets you bring in the sunlight and fresh air.



ELECTRIC TAILGATE

The tailgate can be opened and closed automatically from a switch located near the driver's seat.



LED HEADLAMPS WITH LED DAYTIME RUNNING LAMPS

The stylish new headlamps feature LED lighting for both the high and low beams.



LED FRONT FOG LAMPS

The LED fog lamps illuminate the road ahead with white light.



RAIN SENSOR

The rain sensor activates the windshield wipers automatically when moisture is detected on the windshield



REAR SPOILER

The rear spoiler has been optimized to further improve aerodynamic performance.



TONNEAU COVER

The cover protects your rear luggage from the sun and prying eyes.



KEYLESS OPERATION SYSTEM [KOS]

When carrying the key, you can press a button on the outside of the front doors or tailgate to lock or unlock all the doors and tailgate, as well as press the engine switch in the cockpit to start or stop the engine.



BRAKE AUTO HOLD

accelerator releases the brakes.

REAR VENTS

Adjustable vents are provided



18-INCH ALLOY WHEEL



16-INCH ALLOY WHEEL



SHARK FIN ANTENNA

Rockford Fosgate® and associated logos are registered trademarks of Rockford Corporation in the United States and other countries. DTS Neural Surround™ is a trademark of DTS, Inc. The Bluetooth word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by MITSUBISHI MOTORS CORPORATION is under license

EQUIPMENT LEVEL

GLX 4WD 2.4L

5-SEATER















Key features (5-seater and 7-seater model)

- · 215/70R16 + 16" alloy wheels
- Front skid guard (silver painted) Rear skid quard (silver painted)
- Radiator grille (chrome)
- Outer door handles (color-keyed)
- Power windows with anti-trapping and all doors auto up and down for driver's seat with illumination switch
- Color-keyed door mirrors and side turn lamps, electronically controlled with defoggers and folding function
 Door garnish (material color, silver)

- · Wheel arch garnish
- Immobilizer
- Driver's and front passenger's SRS front airbags · Front 3-point ELR seatbelt with force-limiter and pretensioner
- Active Stability Control [ASC], Hill Start Assist [HSA], Brake
- Assist (Hydraulic)
- Tire Pressure Monitoring System [TPMS]
- Electric power steering
- Tilt and telescopic-adjustable steering column.
- Urethane steering wheel (with silver accent) and shift knob
- ISO-FIX child restraint seat anchor x 2
 Inner door handles (material color)
- · Keyless entry with 2 transmitters
- Knitted fabric headlining
 High-contrast combination meter cluster & multi-information
- display (color liquid crystal display)
 Electric Parking Brake
- Brake Auto Hold
- · Cup holder for front seat
- Gear shift indicator panel (material black)
- · Dual-zone automatic climate control air conditioning system
- AM/FM radio, CD/MP3 player and 6 speakers and USB port (instrument panel, single port type)
 Shark fin antenna
- Halogen headlamps with manual leveling
- LED rear combination lamps LED position lamps
- · Rear fog lamp (driver's side)
- · Windshield intermittent (variable) wipers with washer Rear intermittent wiper and washer

- Mitsubishi Multi Communication System [MMCS] navigation system with Rockford Fosgate® 710W premium sound system, AM/FM radio, CD/MP3 player, 9 speakers, USB port (instrument panel,
- single port type) and rear view monitor/camera · Headlamp washers (pop-up type)

· Front fog lamps (reflector type)

- · Cruise control Reverse warning
- Audio switch
- · Inner door handles (chrome)

Optional, shown: (5-seater model)

- Tonneau cover
- Display audio with AM/FM radio, CD/MP3 player, 6 speakers, USB port (instrument panel, single port type) and rear view monitor/camera
- Front fog lamps (reflector type)
- · LED Daytime Running Lamps [DRL]

Optional, shown: (7-seater model)

- · 225/55R18 + 18" alloy wheels
- Cruise control · Chrome beltline moldings
- · Rear spoiler
- Roof rails (silver)
- Driver's and front passenger's SRS side airbags & SRS curtain airbags, driver's SRS knee airbag, retractable assist grip x 4
- Reverse warning
- Leather steering wheel (with glossy black paint & chrome accent) and shift knob
- · Paddle shift on steering wheel · Audio switch
- · Hands-free module and switch
- · Synthetic leather seats with stitches
- Power seat adjuster (driver's seat)
- Seat heater (front seats)
- Accent panel (piano black with silver molding)
- · Inner door handles (chrome) Sunroof
- Tonneau cover

- LED Daytime Running Lamps [DRL] · Auto rain-sensing variable intermittent
- windshield wipers with intelligent washers and auto lighting control

Note: Rockford Fosgate® and associated logos are registered trademarks of Rockford Corporation in the United States and other countries. Note: For a complete list of standard and optional equipment, please refer to pages 19 to 21.

EQUIPMENT LEVEL

GLS

4WD 3.0L

7-SEATER







Key features (in addition to GLX features)

- 225/55R18 + 18" alloy wheels
- · Cruise control
- Leather steering wheel (with glossy black paint & chrome accent) and shift knob
- Paddle shift on steering wheel
- Audio switch
- · Inner door handles (chrome)
- Gear shift indicator panel (glossy black)
- Tonneau cover
- Front fog lamps (reflector type)

Optional, shown:

- Outer door handles (chrome) Electric tailgate
- Chrome beltline moldings
- Rear spoiler
- · Roof rails (silver)
- Driver's and front passenger's SRS side airbags
 SRS curtain airbags, driver's SRS knee airbag, retractable assist grip x 4
- Forward Collision Mitigation [FCM] system
- Adaptive Cruise Control [ACC] syste
 Automatic high-beam
- · Multi Around Monitor
- · Ultrasonic misacceleration Mitigation System [UMS]
- Corner sensors (8 points)
- · Blind Spot Warning [BSW] with Lane Change Assist
- Rear Cross Traffic Alert [RCTA]
 Hands-free module and switch Leather seats with stitches
- Seat heater (front seats)Keyless Operation System [KOS] with two Keyless Operation Keys and power switch

- · Auto dimming rear view mirror
- Sunroof Accent panel (silver carbon with silver molding)
 Display audio with Rockford Fosgate® 710W premium sound system, AM/FM radio, CD/MP3 player, 9 speakers, USB port (instrument panel, single port type) and rear view monitor/camera
 LED headlamps with auto leveling device
 Freet for larger (LED)

- Front fog lamps (LED)
 Headlamp washers (pop-up type)
- · LED Daytime Running Lamps [DRL] Auto rain-sensing variable intermittent windshield wipers with intelligent washers and
- auto lighting control Note: Rockford Fosgate® and associated logos are

registered trademarks of Rockford Corporation in the United States and other countries. Note: For a complete list of standard and optional equipment, please refer to pages 19 to 21.

EXTERIOR COLORS



Sterling Silver Metallic (U25)



Quartz Brown Metallic (C06)



Black Pearl (X42)



Cosmic Blue Metallic (D14)



Orient Red Metallic (P26)



Titanium Gray Metallic (U17)



White Pearl (W13)



White Solid (W37)

SEAT MATERIALS







Note: Leather seats include synthetic leather on the sides, rear, partial seating surfaces and head restraint (also on rear center armrest, door armrests and door trim etc.).

EXTERIOR COLORS AND SEAT MATERIALS

■ Available

				= Available		
Grade		GL	x	GLS		
Engine		2.4	L	3.0L		
Wheel drive		4WD				
Transmission		CV	6AT			
Seating		5	7			
Model code		GF3WXTSHZLW	GF3WXTMHZLW	GF4WXLXYZLW		
Interior Material			Fabric with stitches			
		Synthetic leather with stitches (Optional)				
			Leather with stitches (Optional)			
Exterior			Availability			
Sterling Silver Metallic	U25					
Quartz Brown Metallic	C06		•			
Black Pearl	X42					
Cosmic Blue Metallic	D14					
Orient Red Metallic	P26		•	•		
Titanium Gray Metallic	U17					
White Pearl	W13					
White Solid	W37					

Note: Colors shown may differ slightly from actual colors due to printing process. Please consult your local Mitsubishi Motors dealer/distributor for actual colors.

STANDARD AND OPTIONAL EQUIPMENT

			■ Standard	□ Optio	onal -	Not availa
Grade				GL	.x	GLS
Engine				2.4	4L	3.0L
Model code				4B	12	6B31
Wheel drive					4WD	
Transmission				CV	π	6AT
Seating			Floring in the controlled (MP / MP AUTO / MP ECO / MP LOCK)	5		7
Drivetrain and Chassis	Drivetrain	Front	Electronically controlled 4WD (4WD AUTO / 4WD ECO / 4WD LOCK)	-	•	
iliu Cilassis	Suspensions	Front Rear	MacPherson strut with coil springs and stabilizer bar Multi link with coil springs and stabilizer bar		•	
	Tires and wheel		215/70R16 + 16" alloy wheels		- :	-
	THES and Wheel	_	225/55R18 + 18" alloy wheels	_	_	
		Spare	215/70R16 + 16" alloy wheel	_		_
			225/55R18 + 18" alloy wheel	_	_	
	Brakes		4ABS + EBD			
			Brake override system			
			Front ventilated disc brakes			
			Rear disc brakes			
	Others		Cruise control			
			Shift lock with key inter-lock			
			T/M oil cooler			-
xterior	Bumpers		Front bumper (color-keyed)			-
			Rear bumper (color-keyed)			-
			Front skid guard (silver painted)	•	•	-
			Rear skid guard (silver painted)	•	-	
	Radiator grille		Radiator grille (chrome)	-		
	Door		Outer door handles (color-keyed)			
			Outer door handles (chrome)			
			Power windows with anti-trapping and all doors auto up and down for driver's seat with illumination switch			
			Electric tailgate			
	Door mirrors		Color-keyed door mirrors and side turn lamps, electronically controlled with defoggers and			
	Glass		folding function			_
			Windshield - Laminated green with sound proof			-
			Front, rear door and quarter - Tempered green	-	•	-
			Rear window - Tempered green with hot wire and timer	-	-	-
	Moldings		Privacy glass (rear door, quarter window, tailgate) Black beltline moldings			
			Chrome beltline moldings	_	_	_
	Others		Tail pipe (single)	-	-	
			Tailgate garnish (color-keyed, chrome)			
			Door garnish (material color, silver)			
			Side sill garnish (material color)			
			Scuff plate			
			Rear spoiler			
			Roof rails (silver)			
			Wheel arch garnish			
	Ornaments and		"OUTLANDER" mark on rear left side	•		-
	badges		4WD decal on rear right side			-
afety and	Security		Immobilizer	•	-	-
ecurity			Theft protection devices - Door and hood opening detection - Alarm: Horn, extra horn, side indicator	•		
	Airbags		Driver's and front passenger's SRS front airbags			
			Driver's and front passenger's SRS side airbags & SRS curtain airbags, driver's SRS knee airbag, retractable assist grip x 4			
	Seatbelts	Front	Front 3-point ELR seatbelt with force-limiter and pretensioner (single pretensioner)	•	•	
			Adjustable type belt anchor	•	•	-
			/ 3-point belt with ELR and ALR x 2, 3-point belt with ELR x 1	•	•	
			3-point belt with ELR x 2	_		
	Others		Active Stability Control [ASC], Hill Start Assist [HSA], Brake Assist (Hydraulic)	-	•	-
			Forward Collision Mitigation [FCM] system	_	_	
			Automatic high-heam	_		
			Automatic high-beam Multi Around Monitor	-	_	
			Ultrasonic misacceleration Mitigation System [UMS]	_	_	
			Corner sensors (8 points)	_	_	
			Blind Spot Warning [BSW] with Lane Change Assist	_	_	
			Rear Cross Traffic Alert [RCTA]	_		

STANDARD AND OPTIONAL EQUIPMENT

rade					GLX	GL
ngine					2.4L	3.0
1odel code					4B12	6B
Vheel drive					40	VD.
ransmission					CVT	6A
eating				5		7
afety and	Others		Reverse warning			
ecurity			Tire Pressure Monitoring System [TPMS]	-		
nterior	Steering and		Electric power steering	•		
	shift knob		Tilt and telescopic-adjustable steering column			
			Urethane steering wheel (with silver accent) and shift knob			-
			Leather steering wheel (with glossy black paint & chrome accent) and shift knob			
			Paddle shift on steering wheel]
			Audio switch			•
			Cruise control switch			•
			Hands-free module and switch			
	Seats	Material	Fabric with stitches	-		
			Synthetic leather with stitches) [
			Leather with stitches) [
		Driver	Sliding, reclining and seat height adjustment			
			Seatback pocket on leather seat			
			Power seat adjuster on synthetic leather and leather seat) [
			Seat heater on synthetic leather and leather seat] [
		Front	Sliding and reclining			
		passenger	With seatback pocket			
			Seat heater on synthetic leather and leather seat			
		2nd row	Separate type with center armrest and cup holder			
			Reclining			
			Split slide Split slide	-		
			Double action folding			
			Walk-in system	-		
		3rd row	Separate type	_		
			Reclining	-		
			Fold and stow feature	_		
		Other	ISO-FIX child restraint seat anchor x 2			
	Headrests	Front	Height adjustable - 2 pieces			
		2nd row	3 pieces			
		3rd row	2 pieces	_		
	Door trims	Туре	Form type with cloth insert			
			Form type with PVC leather insert	_		
		Accent	Piano black			
		panel	Piano black with silver molding			
			Silver carbon with silver molding			
		Front	With molded door pocket and bottle holder			
		Rear	With molded door pocket and bottle holder			
	Door		Inner door handles (material color)			
	5001		Inner door handles (chrome)	_	_	
	Locking syste	m	Center door locking system			
			Child proof			
			Keyless entry with 2 transmitters			
			Keyless Operation System [KOS] with two Keyless Operation Keys and power switch	_		
			Tailgate opener (electric type)			
		Fuel lid opener				
			Ignition key cylinder with illumination			
	Roof		Sunroof*	_		
			Sunglass pocket*			
			Knitted fabric headlining			
			Driver's and front passenger's sunvisor with vanity mirror, lid and ticket holder with light illumination		-	
			Day and night rear view mirror			
			Auto dimming rear view mirror] [
			Retractable assist grip x 3			

Individuals who use implantable pacemakers or implantable cardioverter-defibrillators should keep away from the transmitting antenna of keyless operation system. The electromagnetic waves used in the keyless operation system may affect the operation of implantable pacemakers or implantable cardioverter-defibrillators.

Individuals using other electro-medical apparatuses should check with the manufacturer of the apparatus to confirm the effect of the electromagnetic waves used by the keyless operation system, as the electromagnetic waves may affect their operations.

STANDARD AND OPTIONAL EQUIPMENT

STAND	ARD AND (OPTI	ONAL EQUIPMENT				
			■ Standa	ırd 🗆	Optional	- Not	available
Grade					GLX		GLS
Engine					2.4L		3.0L
Model code					4B12		6B31
Wheel drive						ND	
Transmission					CVT		6AT
Seating				5		7	
Interior	Carpet		Floor carpet (needle punch)		- 1		
			Luggage floor carpet (needle punch)		-		
	Instrument		Soft upper surface of instrument panel and front door trims		- 1		
	panel	Accent	Piano black				
		panel	Piano black with silver molding		[
			Silver carbon with silver molding		[
			High-contrast combination meter cluster & multi-information display (color liquid crystal display)				
			Rheostat			•	
			Glove box with lamp		- 1		
			Ashtray		- 1		
			Cigarette lighter on instrument panel		- 1		
	Floor console		Electric Parking Brake		- 1		
			Brake Auto Hold		- 1		
			Large type floor console with armrest				
			Cup holder for front seat	•		•	
	Shift indicator		Gear shift indicator panel (material black)			•	_
			Gear shift indicator panel (glossy black)		[
	Others		Head protection interior		- 1	•	
			Tonneau cover		[•
			Luggage room hook				
			Tailgate inside grip			•	
			Luggage floor box				
			Tool set (simple set) and jack set				•
700 - 0			Upgraded silence				
Air	Air conditioning		Dual-zone automatic climate control air conditioning system		- 1		
Conditioning and Audio			Air filter		- 1		
una Audio			Rear vents		- 1		
	Audio system		AM/FM radio, CD/MP3 player and 6 speakers and USB port (instrument panel, single port type)				
			Display audio with AM/FM radio, CD/MP3 player, 6 speakers, USB port (instrument panel, single port type) and rear view monitor/camera			0	
			Display audio with Rockford Fosgate® 710W premium sound system, AM/FM radio, CD/MP3 player, 9 speakers, USB port (instrument panel, single port type) and rear view monitor/camera		[
			Mitsubishi Multi Communication System [MMCS] navigation system with AM/FM radio, CD/MP3 player, 6 speakers, USB port (instrument panel, single port type) and rear view monitor/camera		I		0
			Mitsubishi Multi Communication System [MMCS] navigation system with Rockford Fosgate® 710W premium sound system, AM/FM radio, CD/MP3 player, 9 speakers, USB port (instrument panel, single port type) and rear view monitor/camera			_	0
			Rear entertainment system with headphones x 1		[
	Antenna		Shark fin antenna		- 1		
Electrical	Exterior lamps		Halogen headlamps with manual leveling				
			LED headlamps with auto leveling device		[
			Headlamp washers (pop-up type)		[
			Front fog lamps (reflector type)		[
			Front fog lamps (LED)		[
			High-mount stop lamp on tailgate	•		•	•
			LED rear combination lamps	-		•	
			LED position lamps	•			
			LED Daytime Running Lamps [DRL]				
	Industrial I		Rear fog lamp (driver's side)			•	•
	Interior lamps		Front room lamp with map lamp	-			
			Rear room lamp				
	Winors		Luggage room lamp				-
	Wipers		Windshield intermittent (variable) wipers with washer		-		•

 $[\]mbox{\ensuremath{\star}}$ Sunroof and sunglass pocket cannot be installed together.

Note: Rockford Fosgate* and associated logos are registered trademarks of Rockford Corporation in the United States and other countries.

Rear intermittent wiper and washer

Auto rain-sensing variable intermittent windshield wipers with intelligent washers and auto lighting control

TECHNICAL SPECIFICATIONS

Grade			GLX		GLS
Ingine		9	2.4L		3.0L
Wheel drive				4WD	
ransmission			CVT		6AT
Seating			5		7
1odel code			GF3WXTSHZLW	GF3WXTMHZLW	GF4WXLXYZLW
imensions and weig	hts				
verall length		mm		4695	
verall width		mm		1810	
verall height	Without roof rail	mm		1710	
verali ricigiie	With roof rail	mm		1710	
/heelbase	WithTooTiali	mm		2670	
ack	Front	mm		1540	
ack					
d -l (Rear	mm	100	1540	215
round clearance (unl		mm	190		215
urb weight	Total	kg	1505	1535	1590
	Front	kg	865		915
	Rear	kg	640	670	675
ross vehicle weight		kg	2120	2210	2280
ross axle weight	Front	kg		1150	
	Rear	kg		1250	
eating capacity		persons	5		7
erformance					
ax. speed		km/h	198		205
cceleration	0-100 km/h	sec.	10.5		8.7
	120-140 km/h	sec.	6.1		4.8
	0-400 m	sec.	17.7		16.5
in. turning radius	0-400 111		nar	5.3	10.5
		m		5.5	
ngine			50.151.01.5	. ()	50115111155(5571)
ype (code)			DOHC MIVE		SOHC MIVEC (6B31)
uel type / octane			Unleaded / RON		Unleaded / RON 95 and over
otal displacement		CC	2360		2998
ore x stroke		mm	88.0 x 9		87.6 x 82.9
ompression ratio				10.5	
lax. output (EEC net)	k)	W (PS)/rpm	123 (167)/	6000	169 (230)/6250
lax. torque (EEC net)	N·m (kg-m)/rpm	222 (22.6)	/4100	292 (29.8)/3750
uel system					
uel supply system				Electronically Controlled Injection	า
uel tank capacity		liters		60	
lectrical system					
ternator		V-Ah	12-10	5	12-120
arter		V-kW	12-1.3		12-1.4
ansmission		V-KVV	14-1	,	12-1.4
			61/5		CAT
/pe	D range		CVT 2.631-0.		6AT -
ear ratio	TATALICIE		2.631-0.	310	
	1st		-		4.199
	1st 2nd				2.405
	1st 2nd 3rd		-		2.405 1.583
	1st 2nd 3rd 4th				2.405 1.583 1.161
	1st 2nd 3rd		-		2.405 1.583
	1st 2nd 3rd 4th				2.405 1.583 1.161
	1st 2nd 3rd 4th 5th		-)	2.405 1.583 1.161 0.855
	1st 2nd 3rd 4th 5th 6th		-		2.405 1.583 1.161 0.855 0.685
eerina	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960		2.405 1.583 1.161 0.855 0.685 3.457
	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960 6.026	5	2.405 1.583 1.161 0.855 0.685 3.457 3.360
pe	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960 6.026		2.405 1.583 1.161 0.855 0.685 3.457 3.360
pe ispensions	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960 6.026	5 k and pinion (electric power assis	2.405 1.583 1.161 0.855 0.685 3.457 3.360
/pe uspensions ront	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960 6.026 Rac MacPhers	s k and pinion (electric power assis son strut with coil springs and sta	2.405 1.583 1.161 0.855 0.685 3.457 3.360 sted)
/pe uspensions ront ear	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960 6.026 Rac MacPhers	5 k and pinion (electric power assis	2.405 1.583 1.161 0.855 0.685 3.457 3.360 sted)
/pe uspensions ront ear rakes	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960 6.026 Rac MacPhers	s k and pinion (electric power assis con strut with coil springs and sta link with coil springs and stabiliz	2.405 1.583 1.161 0.855 0.685 3.457 3.360 sted)
/pe uspensions ront ear rakes ront	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960 6.026 Rac MacPhers	s k and pinion (electric power assis on strut with coil springs and sta- link with coil springs and stabiliz Ventilated discs	2.405 1.583 1.161 0.855 0.685 3.457 3.360 sted)
teering ype uspensions ront ear rakes ront ear	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960 6.026 Rac MacPhers	s k and pinion (electric power assis con strut with coil springs and sta link with coil springs and stabiliz	2.405 1.583 1.161 0.855 0.685 3.457 3.360 sted)
ype uspensions ront ear rakes ront	1st 2nd 3rd 4th 5th 6th Reverse		- - - - 1.960 6.026 Rac MacPhers	k and pinion (electric power assiston strut with coil springs and stalink with coil springs and stabiliz Ventilated discs Discs	2.405 1.583 1.161 0.855 0.685 3.457 3.360 sted)

Note: Hazardous driving may cause serious injury or vehicle damage. Please drive safely at all times.